



### Description

Multifix Eco flush mounted boxes have been developed to make installation work easier, to house modern devices with a larger depth, like for instance LexCom Home communication outlet, and to enable combination installations.

The range includes

- apparatus boxes, both single, 1.5 module and double
- multi boxes
- junction boxes
- ceiling boxes in various heights
- accessories

### Apparatus boxes

The apparatus boxes (fig. 1) have a square bottom and removable stubs (3). The threaded screw ring (1) is easily adjusted to suit the level of the wall. The box is adapted to fit 45 mm beams without separate board fixings (2). Stubs are either rigid or flexible and provided with sealings (except single stubs) (4) and stainless steel locking tabs. Box covers are provided with two projecting pegs for easy marking of box position on wallboards.

### Standards & approvals

Standards	IEC 695-2-1, Glow wire test
	IEC 60670-1
Approvals	NEMKO NEK 516:82
	FIMKO EMKO TUI (23B) FI 241/92-01 and SFS 3717:1981
	SEMKO, NEMKO, FIMKO.
	Type approval SITAC No. 0371/01 (fire classification). Report from SP (Statens Provningsanstalt): P103285-1 concerning tests in sound-proof walls.

### Patents & certificates

Patents	Threaded screw ring: SE 463842, NO 157318B, NO157318C, NO 852354, SE 8601962
	Locking tab (stub): SE 519556, FI 116416 B
	Material: Flame retardant polymer composition (Altair), EP1198499 (A1)

### Material data

PE-HD (Altair: polyethylene, high density)	Density	1.36 g/cm <sup>3</sup>
	Flammability prop.	Passed glow wire test, 850°C
	Colour spec.	Schneider grey 1 (box)
PE-HD (polyethylene, high density)	Density	0.95 g/cm <sup>3</sup>
	Colour spec.	<ul style="list-style-type: none"> <li>• ISC grey 11 (dark grey)</li> <li>• White NCS S 0502-B</li> </ul>
PA6 (polyamide)	Density	1.14 g/cm <sup>3</sup>
	Colour spec.	<ul style="list-style-type: none"> <li>• ISC grey 11 (dark grey)</li> <li>• White NCS S 0502-B</li> </ul>
PP (polypropylene)	Density	0.97 g/cm <sup>3</sup>
	Colour spec.	<ul style="list-style-type: none"> <li>• White NCS S 0502-B</li> <li>• Blue NCS S 3050-R90B</li> <li>• Yellow NCS S 1070-Y</li> <li>• Black RAL 9005</li> </ul>
PVC (polyvinyl chloride)	Density	1.5 g/cm <sup>3</sup>

### Operative data

Temperature range	-25 – +90°C
Suitable outdoors	Not suitable
Degree of protection	IP20

### Mounting instructions

Art.No. 0075211 / 20018902	Beam fixing
Art.No. 20019083	Board fixing
Art.No. 20059733	Beam fixing Smart
Art.No. 0075234 / 20044408	Threaded screw-ring for apparatus and junction boxes
Art.No. 0075299 / 20056524	Apparatus box 1.5 module
Art.No. 0075323 / 20063202	Distribution box power/tele
Art.No. 0075311 / 20057939	Cover for distribution box power/tele

### Product Environmental Facts

Product Environmental Fact files are available on PI@net.




Fig. 1



### Apparatus boxes

Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Apparatus box with cover, single, for 10-27 mm board</b>							
Apparatus box, single, for flush mounting. With cover, rigid stubs and adjustable threaded screw ring for 10-27 mm board thickness, adjusted in i position for single board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
Without stubs	Grey	71/57/71	100	3606480164071	20061397	FI	IMT36196
With two rigid Ø16/20 mm combi- stubs	Grey	104/57/71	75	3606485111810	20059480	FI, NO	IMT36000
With two rigid Ø20 mm stubs	Grey	104/57/71	75	3606480164002	20061259	FI	IMT36189
With four rigid Ø16/20 mm combi- stubs	Grey	136/57/71	50	3606485111827	20059481	FI, NO	IMT36001
With six rigid Ø16/20 mm combi- stubs	Grey	136/57/104	25	3606485111865	20059485	NO	IMT36005
With six rigid Ø16/20 mm combi- stubs and beam fixing of steel	Grey	136/57/153	25	3606485111971	20059496	NO	IMT36016
Apparatus box, single, for flush mounting. With cover, flexible stubs and adjustable threaded screw ring for 10-27 mm board thickness, adjusted in a position for single board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
With two flexible Ø16/20 mm combi- stubs	Grey	122/57/71	100	3606480164125	20061402	FI	IMT36201
With four flexible Ø16/20 mm combi- stubs	Grey	172/57/71	50	3606480164132	20061403	FI	IMT36202
<b>Apparatus box with cover, single, for 24-39 mm board</b>							
Apparatus box, single for flush mounting. With cover, rigid stubs and adjustable threaded screw ring for 24-39 mm board thickness, adjusted in a position for double board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
With two rigid Ø16/20 mm combi- stubs	Grey	104/71/104	50	3606485111841	20059483	NO	IMT36003
With six rigid Ø16/20 mm combi- stubs	Grey	136/71/104	25	3606485111834	20059482	FI	IMT36002
With six rigid Ø16/20 mm combi- stubs and beam fixing of steel	Grey	136/71/153	25	3606485111872	20059486	NO	IMT36006

### Apparatus boxes

Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Apparatus box with cover, 1.5 module</b>							
Apparatus box, 1.5 module, for flush mounting. With cover and rigid stubs for board thickness 13 mm. Stubs provided with locking tabs of stainless steel. Drill template included. Material: PE-HD.							
Without stubs, drill template included	Grey	90/58/86	25	3606480164194	20061409	FI	IMT36208
Six rigid Ø16/20 mm combi-stubs	Grey	156/58/115	25	3606485112084	20059507	NO	IMT36027
Six rigid Ø16/20 mm combi-stubs, beam fixing of steel	Grey	158/58/148	25	3606485112107	20059509	NO	IMT36029
Apparatus box, 1.5 module, for flush mounting. With cover and flexible stubs for board thickness 13 mm. Stubs provided with locking tabs of stainless steel. Drill template included. Material: PE-HD.							
With four flexible Ø16/20 mm combi-stubs	Grey	190/58/86	25	3606480164187	20061408	SE	IMT36207
<b>Apparatus box with cover, double</b>							
Apparatus box, double, for flush mounting. With cover, partition wall and stubs. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
Without stubs	Grey	142/58/71	50	3606480164170	20061407	FI	IMT36206
With two rigid Ø16/20 mm combi-stubs, one rigid Ø16 mm stub, and one rigid double combi-stub Ø16/20 mm loose inside the box	Grey	179/60/70	25	3606485111858	20059484	NO	IMT36004
With four flexible Ø16/20 mm combi-stubs	Grey	243/58/71	25	3606480164163	20061406	SE	IMT36205
<b>Apparatus box without cover, single, for 10-27 mm board</b>							
Apparatus box, single, for flush mounting. With flexible stubs and adjustable threaded screw ring for 10-27 mm board thickness, adjusted in a position for single board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
Without stubs	Grey	71/57/71	100	3606480164064	20061396	SE	IMT36195
With two flexible Ø16/20 mm combi-stubs	Grey	122/57/71	25	3606480426735	20064924	SE	IMT36357
With four flexible Ø16 mm stubs	Grey	160/57/71	50	3606480164033	20061393	SE	IMT36192
With four flexible Ø16/20 mm combi-stubs	Grey	170/57/71	25	3606480426728	20064923	SE	IMT36356

### Apparatus boxes

Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Apparatus box without cover, single, for 10-27 mm board</b>							
Apparatus box for flush mounting, single. With flexible stubs, beam fixing of steel and adjustable threaded screw ring for 10-27 mm board thickness, adjusted in a position for single board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
With four flexible Ø16 mm stubs	Grey	160/57/119	25	3606480164101	20061400	SE	IMT36199
With four flexible Ø16/20 mm combi- stubs	Grey	170/57/119	25	3606480426759	20064926	SE	IMT36359
<b>Apparatus box without cover, single, for 24-39 mm board</b>							
Apparatus box, single, for flush mounting. With flexible stubs and adjustable threaded screw ring for 24-39 mm board thickness, adjusted in a position for double board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
Without stubs	Grey	71/72/71	75	3606480164088	20061398	SE	IMT36197
With four flexible Ø16 mm stubs	Grey	160/69/71	50	3606480164040	20061394	SE	IMT36193
Apparatus box, single, for flush mounting. With flexible combi-stubs and adjustable threaded screw ring for 24-39 mm board thickness, adjusted in a position for double board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
With four flexible Ø16/20 mm combi- stubs	Grey	170/69/71	25	3606480164118	20061401	SE	IMT36200
With four flexible Ø16 mm stubs and beam fixing of steel	Grey	160/69/119	25	3606480164095	20061399	SE	IMT36198
With four flexible Ø16/20 mm combi- stubs and beam fixing of steel	Grey	170/69/119	25	3606480426742	20064925	SE	IMT36358
Apparatus box, single, for flush mounting. With rigid combi-stubs and high adjustable threaded screw ring for 24-39 mm board thickness, adjusted in a position for double board. Stubs provided with locking tabs of stainless steel. Material: PE-HD.							
With two rigid Ø16/20 mm combi- stubs	Grey	104/82/71	60	3606480164026	20061392	FI	IMT36191

### Junction boxes

<b>Junction box, single board</b>							
Junction box, single, for flush mounting. With five rigid Ø16 mm stubs, two rigid Ø20 mm stubs (one rising and one dropping) and adjustable screw ring. Stubs provided with locking tabs of stainless steel. Distance between screws c/c 67 mm. Material: PE-HD.							
Junction box	Grey	132/57/83	25	3606480164255	20061415	SE	IMT36214
<b>Junction box, double board</b>							
Junction box, single, for flush mounting. With five rigid Ø16 mm stubs, two rigid Ø20 mm stubs (one rising and one dropping) and adjustable screw ring. Stubs provided with locking tabs of stainless steel. Distance between screws c/c 67 mm. Material: PE-HD.							
Junction box	Grey	132/57/83	25	3606480164286	20061418	SE	IMT36217
<b>Junction box, single board</b>							
Junction box, single, for flush mounting. With two rigid Ø16 mm stubs, four rigid Ø16/20 mm combi-stubs, two rigid Ø16/20 mm cross stubs and adjustable threaded screw ring, adjusted in a position for single board. Stubs provided with locking tabs of stainless steel. Distance between screws c/c 60 mm. Material: PE-HD.							
Junction box	Grey	146/60/114	25	3606480164149	20061404	SE	IMT36203
<b>Junction box, double/triple board</b>							
Junction box, single, for flush mounting. With two rigid Ø16 mm stubs, four rigid Ø16/20 mm combi-stubs, two rigid Ø16/20 mm cross stubs and adjustable threaded screw ring, adjusted in a position for double board. Stubs provided with locking tabs of stainless steel. Distance between screws c/c 60 mm. Material: PE-HD.							
Junction box	Grey	146/72/114	25	3606480164156	20061405	SE	IMT36204

### Other boxes

P113108



Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Small wall box</b>							
Small wall box for flush mounting, With three stubs for Ø16 mm conduits. Material: PE-HD.							
Small wall box	Grey	99/44/55	50	3606480164019	20061260	SE, NO	IMT36190

P41750



<b>Distribution box power/tele</b>							
Distribution box for power/tele, for flush mounting or cast-in purposes. With 13 stubs Ø16 mm, four Ø20 mm, one Ø25 mm, Ø32 mm, Ø40 mm and Ø50 mm on one long side and with six Ø16 mm, eight Ø20 mm and one Ø25 mm, Ø32 mm, Ø40 mm, Ø50 mm on the other. Approved by Telia. With cover of expanded polystyrene to be used for the casting-in. Material: PC/ABS.							
Distribution box	Grey	87/257/220	5	3606480160516	20061533	SE	IMT36333

### Box accessories

	Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
	<b>Stubs, rigid</b>							
	Single, rigid stub with one connection. Locking tabs of stainless steel. Material: PA6.							
P113137	For Ø25 mm conduits	Dark grey	44/31/54	20	3606485111902	20059489	SE, NO, FI	IMT36009
P113138	For Ø20 mm conduits	Dark grey	44/31/54	20	3606480164323	20061422	FI	IMT36221
	Double, rigid stub with two connections. Supplied with mounted sealings. Locking tabs of stainless steel. Material: PA6.							
P119478	For Ø16 mm conduits	Dark grey	44/31/54	20	3606485111896	20059488	SE, NO	IMT36008
P113136	For Ø20 mm conduits	Dark grey	43/31/54	20	3606480164316	20061421	FI	IMT36220
	Double, rigid combi-stub with two connections for Ø16 mm or Ø20 mm conduits. Supplied with mounted sealings and reducing sleeves. Locking tabs of stainless steel. Material: PA6.							
P113135	Combi-stub, double	Dark grey	44/31/54	20	3606485111889	20059487	SE, NO, FI	IMT36007
	Triple, rigid stub with three connections, one for Ø16 mm and two for Ø16 or Ø20 mm conduits. Supplied with mounted sealings and two reducing sleeves. Locking tabs of stainless steel. Material: PA6.							
P113139	For Ø16 and Ø16/ Ø20 mm conduits	Dark grey	47/34/54	20	3606485111919	20059490	SE, NO, FI	IMT36010
	Triple, rigid stub with three connections, one for Ø16 mm and two for Ø20 mm conduits. Supplied with mounted sealings. Locking tabs of stainless steel. Material: PA6.							
P113140	For Ø16 and Ø20 mm conduits	Dark grey	46/34/54	20	3606480164330	20061423	FI	IMT36222
	<b>Stubs, flexible</b>							
	Double, flexible stub with two connections. Supplied with mounted sealings. Locking tabs of stainless steel. Material: PE-HD.							
P116345	For Ø20 mm conduits	Dark grey	55/31/54	20	3606480164354	20061425	FI	IMT36224
	For Ø16 mm conduits							
P113141	For Ø16 mm conduits	Dark grey	56/31/54	20	3606480164415	20061431	SE	IMT36230
	Double, flexible combi-stub with two connections for Ø16 mm or Ø20 mm conduits. Supplied with mounted sealings and reducing sleeves. Locking tabs of stainless steel. Material: PE-HD.							
P116346	For Ø16/20 mm conduits	Dark grey	62/31/54	20	3606480164347	20061424	SE, FI	IMT36223
	<b>Cross-stubs</b>							
	Rigid cross stub with two connections. Supplied with mounted sealings and reducing sleeves. Locking tabs of stainless steel. Material: PA6.							
P113132	Rigid, 16/20 mm	Dark grey	101/55/44	20	3606480164293	20061419	SE, FI	IMT36218
P113133	Rigid, 20 mm	Dark grey	99/55/44	20	3606480164309	20061420	FI	IMT36219
	<b>Blank plug</b>							
	Blank plug to be used to cover the hole in the box when a stub has been removed. Material: PA6.							
P113012	Blank plug	White	53/30/12	50	3606485112008	20059499	SE, NO, FI	IMT36019
	<b>Strain relief device</b>							
	Strain relief for cables Ø9.0–12.5 mm. Material: PP.							
P116347	Strain relief	White	30/18/44	50	3606485112022	20059501	NO, FI	IMT36021



### Box accessories

	Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
	<b>Joining pieces</b>							
	Joining piece for connection of two apparatus boxes. Material: PE-HD.							
P113011	Joining piece for c/c 71 mm	Natural	50/31/13	20	3606485111926	20059491	SE, NO, FI	IMT36011
P113023	Joining piece for c/c 85 mm	Natural	54/37/31	20	3606485112039	20059502	FI	IMT36022
P113009	Joining piece for c/c 85 or 90 mm	Natural	44/31/25	20	3606480164408	20061430	SE, NO, FI	IMT36229
P113013	Joining piece for c/c 100 mm	Natural	54/37/52	20	3606485112046	20059503	SE, NO, FI	IMT36023
	<b>Beam fixing</b>							
	For fixing of apparatus boxes on wooden or steel beams. Material: Steel.							
P28720	Beam fixing	—	50/4/45	20	3606485111940	20059493	SE, NO, FI	IMT36013
	<b>Beam Fixing Smart</b>							
	Click-in beam fixing, specially designed for SÖDRA Smart wooden beams. Material: Steel.							
P113016	Smart beam fixing	—	44/71/50	20	3606480164477	20061437	SE	IMT36236
	<b>Board fixings</b>							
	Board fixing for gluing/screw fixing of boxes between boards. Snap-fitted around the stubs of the box. Adapted to 66, 70, 95 and 120 mm beams respectively. Material: PP 10% talcum.							
P32170	For 66 mm beams	Natural	66/30/65	10	3606480164361	20061426	FI	IMT36225
P116478	For 70 mm beams	Blue	70/30/65	10	3606480164378	20061427	SE, FI	IMT36226
P116479	For 95 mm beams	Yellow	95/30/65	10	3606480164385	20061428	SE, FI	IMT36227
P116480	For 120 mm beams	Black	120/30/65	10	3606480164392	20061429	SE, FI	IMT36228
	<b>Board fixings with tape</b>							
	Board fixing with tape for fixing of apparatus boxes between boards. Snap-fitted around the stubs of the box. Adapted to 70 mm, 75 mm, 95/100 mm and 120 mm beams respectively. Material: PP.							
P116478	Board fixing, 70 mm	Blue	68/30/65	10	3606485111957	20059494	NO	IMT36014
	Board fixing, 75 mm	Blue	75/30/65	10	3606485112053	20059504	NO	IMT36024
P116479	Board fixing, 95/100 mm	Yellow	98/30/65	10	3606485111964	20059495	NO	IMT36015
P116480	Board fixing, 120 mm	Black	122/30/65	10	3606485111988	20059497	NO	IMT36017
	<b>Box knife</b>							
	Box knife with leather holster and extra long cutting edge for the making of holes in flexible stubs. Material: Wood, steel, leather.							
P92550	Box knife	—	40/30/180	10	3606480164545	20061444	SE	IMT36243

### Box accessories






Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Cover plates, apparatus boxes</b>							
Screw-fitted cover plate for flush-mounted apparatus boxes. To be used to cover the box when no wiring devices have been installed. Material: PA6.							
P102384 Cover plate, single	White	Ø90	50	3606485112145	20059513	SE, NO, FI	IMT36033
P102385 Cover plate, 1.5 module	White	109/3/90	20	3606485112138	20059512	SE, NO, FI	IMT36032
P102386 Cover plate, double	White	161/3/90	20	3606485112121	20059511	SE, NO, FI	IMT36031
Screw-fitted cover plate for apparatus boxes c/c 60 mm in ELJO Trend design. Degree of protection IP20. Material: Thermoplastic.							
P112652 For Trend	White	82/82/12	10	3606480164569	20061446	SE	IMT36245
For Trend with Russian label	White	82/82/12	10	3606480200335	20062294	RU	IMT36353
<b>Cover plates, junction boxes</b>							
Snap-fitted cover plate for junction boxes, with cable outlet. Material: PC.							
P112618 Cover plate with cable outlet	White	Ø100/30	20	3606480284236	20062644	SE	IMT35019
Snap-fitted cover plate for junction boxes. Material: PC.							
P112617 Cover plate	White	Ø100/20	25	3606480284229	20062643	SE	IMT35018
<b>Cover plate, wall box</b>							
Screw-fitted cover plate for small wall box IMT36190. Material: PA6.							
P116349 Cover plate, small	White	Ø60/2.5	50	3606480164590	20061449	SE, NO	IMT36248
<b>Cover plate with separation wall</b>							
Screw-fixed cover plate including separation wall, for single apparatus or junction boxes. Material: PC/ABS.							
P116953 For apparatus box	White / Green	Ø90	5	3606480164422	20061432	SE	IMT36231
P116952 For junction box	White / Green	Ø100	5	3606480164521	20061442	SE	IMT36241
<b>Cover plate for distribution box</b>							
Screw-fitted cover plate for distribution box IMT36333. To be used when the box is flush-mounted. Material: Sheet steel.							
P112666 Cover plate	White	250/180/10	5	3606480165160	20061534	SE	IMT36334
Lockable cover plate for distribution box IMT36333. Including locking mechanism. Material: Steel, powder coated.							
P112667 Cover plate, lockable	White	250/180/10	1	3606480165177	20061535	SE	IMT36335
<b>Mounting plate</b>							
Holed mounting plate for distribution box IMT36333. Material: Sheet steel.							
P112668 Mounting plate	Dark grey	210/100	5	3606480165191	20061537	SE	IMT36337



### Box accessories

Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Box fixings</b>							
Box fixing for distribution box IMT36333 in various sizes of beams. Material: ABS/PC.							
45 mm beams	White	59/27	20	3606480165078	20061518	SE	IMT36318
70 mm beams	Blue	70/84/27	20	3606480165085	20061519	SE	IMT36319
95 mm beams	Yellow	70/109/27	20	3606480165092	20061520	SE	IMT36320
120 mm beams	Black	70/134/27	20	3606480165108	20061521	SE	IMT36321
<b>Extension rings</b>							
Extension ring, 6 mm high, intended for 1.5 module or double apparatus boxes. Material: PE-HD.							
Extension ring, 1.5 module	Grey	90/8/71	20	3606485112091	20059508	SE, NO, FI	IMT36028
Extension ring, double	Grey	141/8/70	20	3606485112060	20059505	SE, NO, FI	IMT36025
Extension ring 5 mm for small wall box IMT36190. Including two 35 mm long M4 screws. Material: PA6.							
5 mm	Grey	51/51/5	25	3606480164583	20061448	SE, NO	IMT36247
<b>Screws</b>							
Screws, 42 mm and 55 mm respectively, for apparatus and junction boxes. With combined slot and Pz1. Material: Steel, fzb.							
Screw	—	3/42/—	20	3606485111995	20059498	SE, NO	IMT36018
Screw	—	3/55/—	20	3606485112015	20059500	NO	IMT36020
<b>Drill template</b>							
Drill template for 1.5 module box. Material: PA6.							
Drill template	Natural	150/84/20	5	3606480164484	20061438	SE, NO, FI	IMT36237
<b>Screw rings</b>							
Low threaded screw ring for 10-27 mm board thickness. Intended for single apparatus boxes. Material: PA6 with 30% glass fibre.							
Screw ring 10-27 mm	Green	67/32/-	20	3606480426711	20064922	SE, NO, FI	IMT36355
High threaded screw ring for 24-39 mm board thickness. Intended for single apparatus boxes. Material: PA6 with 30% glass fibre.							
Screw ring 24-39 mm	Blue	67/43/-	20	3606480164439	20061433	SE, NO, FI	IMT36232
<b>Jointing sleeves</b>							
Jointing sleeve for jointing of rigid and flexible conduits. Material: PE-HD.							
16 mm	Transparent	Ø16	100	3606485113173	20059858	SE, NO	IMT36038
20 mm	Transparent	Ø20	50	3606485113180	20059859	SE, NO	IMT36039
25 mm	Transparent	Ø25	50	3606485113197	20059860	SE, NO	IMT36040
32 mm	Transparent	Ø32	25	3606485113203	20059861	SE, NO	IMT36041
40 mm	Transparent	Ø40	25	3606485113210	20059862	SE, NO	IMT36042
50 mm	Transparent	Ø50	10	3606485113227	20059863	SE, NO, FI	IMT36043

### Box accessories

Type	Colour	Dimensions A/B/C (mm)	Qty per package	EAN code	Internal ID-No.	Target market	Ref. No.
<b>Cabinet sleeves</b>							
Cabinet sleeve for the connection of rigid and flexible conduits to a cabinet. For various sizes of conduit with a Ø15 mm threaded part. Material: PE-HD.							
	For Ø16 mm	Transparent Ø16	50	3606485113234	20059864	SE, NO, FI	IMT36044
	For Ø20 mm	Transparent Ø20	50	3606485113241	20059865	SE, NO, FI	IMT36045
	For Ø25 mm	Transparent Ø25	25	3606485113258	20059866	SE, NO, FI	IMT36046
<b>Cabinet sleeves</b>							
Cabinet sleeve for the connection of rigid and flexible conduits to a cabinet. For various sizes of conduit with a Ø20 mm threaded part. Material: PE-HD.							
	For Ø32 mm	Transparent Ø32	10	3606485113265	20059867	SE, NO, FI	IMT36047
	For Ø40 mm	Transparent Ø40	10	3606485113272	20059868	SE, NO, FI	IMT36048
	For Ø50 mm	Transparent Ø50	10	3606485113289	20059869	SE, NO, FI	IMT36049
<b>Cabinet sleeve</b>							
Cabinet sleeve for the connection of rigid and flexible conduits to a cabinet. For 5xØ16 mm conduit with a Ø50 mm connection. Material: PE-HD.							
	5xØ16 mm	Transparent Ø60	50	3606485113296	20059870	NO	IMT36050
<b>Pipe bends</b>							
Pipe bend intended for rigid conduits. Material: PVC.							
	16 mm	Natural 235/80/19	10	3606485133904	20060087	NO	IMT36069
	20 mm	Natural 260/80/24	10	3606485133911	20060088	NO	IMT36070
	25 mm	Natural 250/100/29	50	3606485133928	20060089	NO	IMT36071
90° pipe bend for rigid conduits. Material: PVC.							
	16 mm	Natural 125/125/19	25	3606485133836	20060076	NO	IMT36060
	20 mm	Natural 140/140/23	25	3606480057687	20060077	NO	IMT36061
	25 mm	Natural 170/170/28	20	3606485133843	20060078	NO	IMT36062
	32 mm	Natural 220/220/35	10	3606480057694	20060079	NO	IMT36063
	40 mm	Natural 260/260/44	10	3606485133850	20060080	NO	IMT36064
50 mm	Natural 320/320/54	5	3606485133867	20060081	NO	IMT36065	