



CorePro LEDcapsule LV

CorePro LEDcapsuleLV 2-20W G4 827 D

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs without any compromise on light quality.

Produktdata

Generell informasjon	
Lyskildedefeste	G4 [G4]
Nominell levetid (nom.)	15000 h
Av/på-syklus.	50 000 X
Teknisk type	2-20W
Teknisk belysning	
Fargekode	827 [CCT av 2700 K]
Lysstrøm (nom.)	200 lm
Lysstrøm (merkekapasitet) (nominell)	200 lm
Fargebetegnelse	Varm hvit (WW)
Korrelert fargetemperatur (nom.)	2700 K
Lyseffekt (merkekapasitet) (nom.)	100.00 lm/W
Fargesamsvar	<6
Fargegjengivelse (nom)	80
Nominell vedlikeholdsfaktor for lyskildelumen ved utgangen av nominell levetid (nom.)	70 %
Drift og elektrisk	
Power (Rated) (Nom)	2 W
lyskildestrøm (nom.)	220 mA
Effekten som tilsvarer	20 W


Starttid (nom.)	0.5 s
Oppvarmingstid til 60 % lyseffekt (nom.)	0.5 s
Strømfaktor (nom)	0.7
Spennning (nom.)	12 V
Temperatur	
Maksimal temperatur for innfatningen (nom.)	84 °C
Kontroller og dimming	
Kan dimmes	Ja
Godkjenning og bruk	
Energisparingsprodukt	Yes
Egnet til effektbelysning	Yes
Energieffektivitetsmerke (EEL)	A++
Energiforbruk kWh/1000 t	3 kWh
Produktdata	
Fullstendig produktkode	871869657865000
Produktnavn for bestilling	CorePro LEDcapsuleLV 2-20W G4 827
	D
EAN/UPC – produkt	8718696578650

CorePro LEDcapsule LV

Bestillingskode	57865000
Ei-nummer	3711217
Teller – antall per pakke	1
Teller – pakker per utvendige boks	12

Materialenr. (12NC)	929001235302
Nettovekt (stykk)	0.012 kg




Målskisse



Capsule 12V 2W-20W 200lm 2700K G4 D

Product	D	C
CorePro LEDcapsuleLV 2-20W G4 827 D	17 mm	48 mm

Fotometriske data



CorePro LEDcapsule LV

