


# Filament Beauty Eddy Led St64 – Globo – A60



EDDY ST64




## EDDY GLOBO



## EDDY A60

- Innovative bulb with rigid spiral-shaped LEDs able to emit diffused light with the incredible effect of minimizing shadows typical of straight filaments.
- The point source replicates in the most faithful way the old incandescent bulb making the effect pleasant and unique.
- With 65 patents, it is the most precious and well-kept light bulb of its kind.
- Operation Temperature: -20°C~+50°C
- Wide light output
- Beautiful look, 100% same as traditional incandescent lamp
- Long life
- Low surface temperature
- IC Driver Design at constant current
- High Energy Saving
- Vacuum environment
- Sapphire – ceramic support
- No flickering under camera











 **Perchè scegliere**  - **Why choose** 



**Beauty Led**  
No shadow  
360° light  
distribution



**Standard  
Filament Led**



**DIMMABLE**



**PARET**

**NO UV  
15.000h  
Hg free**

**GAMMA  
COMPLETA**  
Real RA>80

BEAUTY EDDY bulbs by Daylight Italia


Privacy & Cookies Policy


<https://www.daylightitalia.com/en/fashion/beauty-eddy/>

4/7









18W  
50W  
INCAND

← 2,5W  
4,5W  
LED



|                                                                                   |  (COD) | (W) |  | (LM) | (V)     | (K)  | (D) | (L) | CRI | Beam Angle (°) | LEDS       | Finishing |  |  | start time | warm up |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------|------|---------|------|-----|-----|-----|----------------|------------|-----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|---------|
|  | 700729.00A                                                                              | 2,5 | E27                                                                               | 230  | 220-240 | 2700 | 125 | 175 | 80  | 360°           | 1/2 Spiral | Clear     | 1                                                                                 | >30.000                                                                           | < 0,6      | ø       |
|  | 700731.00A                                                                              | 4,5 | E27                                                                               | 430  | 220-240 | 2700 | 125 | 175 | 80  | 360°           | 1 Spiral   | Clear     | 1                                                                                 | >30.000                                                                           | < 0,6      | ø       |
|  | 700732.00A                                                                              | 4,5 | E27                                                                               | 430  | 220-240 | 2700 | 95  | 135 | 80  | 360°           | 1 Spiral   | Clear     | 1                                                                                 | >30.000                                                                           | < 0,6      | ø       |



|              |  |  |  |  |  |  |  |  | CRI  | Beam Angle (°) | LEDS  | Finishing |  |  | start time | warm up |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------|----------------|-------|-----------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------|---------|
|  700735.00A* | 4,5                                                                               | E27                                                                               | 430                                                                               | 220-240                                                                           | 2700                                                                              | 60                                                                                | 105                                                                               | 80                                                                                | 360° | 1 Spiral       | Clear | 1         | >30.000                                                                             | < 0,6                                                                               | ø          |         |

\* su richiesta - on demand

Beauty Eddy Led cod. 700734.00A\* - 700733.00A\*

Beauty Eddy Led cod. 700729.00A - 700731.00A - 700732.00A

Beauty Eddy Led cod. 700735.00A\*

\* su richiesta

[Dati societari](#)

[Credits](#)

[Privacy policy](#)

© 2021 Daylight Italia. | P.IVA: 07893910963 | Daylight Italia Srl Via Newton, 12 20016 Pero (MI) - Tel. +390231055625 -  
info@daylightitalia.com