



Representative Image

Ref. No. 833008

Description: PS 320 cabinet with plain door

EAN 5412348330087

Products > Boxes & Cabinets & Pedestals > Enclosures for indoor and outdoor

• Cabinets are standard factory assembled (empty or equipped)

Complete with handle and wall mountingbrackets of AISI 304 stainless steel (without cylinder lock) • Material: self-extinguishing, hot moulded, halogen-free, fiberglass reinforced polyester (environment friendly)

- Coupling possibilities in height, width and depth
- Door with 5-point latching mechanism
- Execution as pedestal possible
- Rated insulation voltage Ui= 1000V
 Corrosion and maintenance free
- Easy recyclable: no moulded-in metal parts

Ambient conditions

- Subterranean installation
- Suitable for aggressive and marine or corrosive environments
- Indoor and outdoor stationary use, excluding: artic conditions below -50°C,

excessive heat above +150°C (peak) and excessive height above 2000 m

Descriptors

Category	Enclosures for indoor and outdoor
Family Name	Polysafe
IK	IK10

Specifications

Enclosure type	Cabinet	
Total Insulation	Yes	
Raw materials	Polyester glass-fibre reinforced hot-moulded	
Ambient conditions	Indoor, Outdoor	
Installation	Floor standing, Pole Fixing, Wall mounting	
IP	IP65	
Product/Accessory	Product	
Product/Accessory functionality	Cabinet	
Door/Cover	Door	
Door/Cover- plain/glazed	Plain	
Standards	EN 60529, EN 62208, EN 62262, IEC 60529, IEC 62208, IEC 62262	
Туре	PS 320	
Kind of closing system	With handle without cylinder lock	
Screws/Hinges/Bolts	Hinges	
Colour	RAL 7035	
Standard packing	1	

Classifications

Approvals	CSA, UL
ETIM 5.0	EC000058

Classifications		
ETIM 6.0	EC000058	
Dimensions		
Volume	0.120000 m3	
Height	750.0 mm	
Width	500.0 mm	
Depth	320.0 mm	
Weight	20.000 kg	

Publications		
Title	Publication No.	Publication Type
PolySafe - Enclosure PS320 IP65 750x500x320 mm Plain door (stp)		
3D Drawing: Industrial Enclosure - PolySafe - Enclosure PS320 IP65 750x500x320 mm Plain door (STEP format)	3D-00561	Drawings - CAD - 3D
PolySafe - Enclosure PS320 IP65 750x500x320 mm Plain door (pdf)		
3D PDF Viewer: Industrial Enclosures - PolySafe - Enclosure PS320 IP65 750x500x320 mm Plain door (3DPDF format)	3D-00561-PDF	Drawings - CAD - 3D

Additional Documentation: Visit our <u>Publication Library</u> to find technical documentation, specifications, catalogues, promotional literature, 3D's,...