

# QUALIKO



PROFESSIONAL LIGHT COMPONENTS

2018

# LED PANEL

60x60 • 60x120


**QUALIKO**  
PROFESSIONAL LIGHT COMPONENTS srl



Pannelli LED • LED panels

# LED PANEL 60X60 • 60x120 Pannelli LED • LED panels

QUALIKO




Standard: for modular ceilings



Molle BPLKITSRING




Optional: ceiling kit



Part N°: BPLKITCEIL1B



Optional: suspension kit



Part N°: BPLKIT4X150C




Optional: wall kit



Part N°: BPLKITWALLOB




Optional: closed ceiling kit (60x60 only)



Part N°: BPLKITBOX00A Aluminium

Part N°: BPLKITBOX00B White



| Type      | Part N°             | Dimensions (mm) | Input (V) | Colour        | Frame colour | °Kelvin | Lumen | Power (W) | Packing box dimensions (mm) | Weight (kg) |
|-----------|---------------------|-----------------|-----------|---------------|--------------|---------|-------|-----------|-----------------------------|-------------|
| 60x60 CW  | <b>BPL60600EACW</b> | 595x595x10,5h   | 24 VDC    | Cool White    | Aluminum     | 6000°K  | 4322  | 42        | 650x650x40h                 | 4,2         |
| 60x60 NW  | <b>BPL60600EANW</b> | 595x595x10,5h   | 24 VDC    | Natural White | Aluminum     | 4200°K  | 4078  | 42        | 650x650x40h                 | 4,2         |
| 60x60 WW  | <b>BPL60600EAWW</b> | 595x595x10,5h   | 24 VDC    | Warm White    | Aluminum     | 3000°K  | 3761  | 42        | 650x650x40h                 | 4,2         |
| 60x120 NW | <b>BPL60120EANW</b> | 1195x595x14h    | 24 VDC    | Natural White | Aluminum     | 4200°K  | 6470  | 85        | 1350x660x60h                | 10,5        |
| 60x120 WW | <b>BPL60120EAWW</b> | 1195x595x14h    | 24 VDC    | Warm White    | Aluminum     | 3000°K  | 6082  | 85        | 1350x660x60h                | 10,5        |

## 🇮🇹 Pannello LED 60x60 - 60x120

- Cornice e struttura in alluminio
- Adatto per sostituire incassi standard per tubi fluo
- Grande omogeneità luminosa
- Funziona in bassa tensione con trasformatore 24V DC specifico (fornito a richiesta)
- Consumo limitato

## 🇬🇧 LED panel 60x60 - 60x120

- Structure and frame in aluminum
- Suitable for replacing standard fixtures for fluo tubes
- Great homogeneity of light
- Safety low voltage with specific 24V DC drivers (supplied on request)
- Limited consumption

## 🇩🇪 LED-Tafel 60x60 - 60x120

- Rahme und Körper aus Aluminium
- Für direkten Ersatz von standard Leuchtstoffröhren geeignet
- Groß Homogenität des Lichts
- NV-betrieb durch besonderen 24VDC Transformator (auf Anfrage geliefert)
- Begrenzter Verbrauch

## 🇫🇷 Panneau LED 60x60 - 60x120

- Encadrement et corps en aluminium
- Approprié pour le remplacement des encastrables standard à tubes fluo
- Luminosité très homogène
- Il marche en basse tension avec un transformateur 24V DC (livré sur demande) - Consommation limitée

## 🇪🇸 Panel LED 60x60 - 60x120

- Estructura y marco de aluminio
- Adecuado para remplazo directo de lampara estandar con tubos de fluorescencia
- Excelente homogeneidad luminica
- Alta seguridad por funcionamiento a baja tension, con drivers especificos de 24VDC (bajo demanda) - Bajo consume

