



13 Wall & Ceiling LED>The Roof tile Range Die cast

67512/W/W



8W Wall light, IP65.

Complete with 200mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The Roof tile Range Die cast
Order Code	67512/W/W
Colour	White
Material	ABS
Diffuser Material	PC
Shape	Rectangular
Length	110mm
Width	50mm
Height	220mm
Surface Wall	Yes
Indoor	Yes

Outdoor
Adjustable

Yes
No

Electrical Characteristics

Gear

Built In

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

220-240V
Yes
Yes

8W
IP65
LED built in
No


Fitting

Input Type
Input Current
Voltage
Power(Watts)
IP Rating
Light Source
LED Type
LED Brand

Constant Current
200mA
33,5V
6,7W
IP65
LED built in
SMD 2835
Epistar

Gear

Gear Type
Input Voltage
50 Hz

Led Driver
220-240V
Yes

60 Hz
Power(Watts)
Power Factor
Constant Current
200mA
IP Rating
Safety Class
Dimmable
Housing Material
Brand
Protection

Yes
5,6-8,4W
0,9
Yes
28-42V
IP20

No
Plastic
Eaglerise
0

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Illumination Diagram

3000K
400lm
50lm/W
80


Packing Info

Box Length
Box Width
Box Height
Box Weight
Pcs/Carton
Barcode
HS Code

23cm
12,5cm
6cm
0.375kg
20
5291889068914
9405114090

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

