



SAFEBOX-B

19" IP55 Indoor / Outdoor Cabinets

SAFEBOX-B IP55 Indoor Wall Mounting Cabinets

The SAFEBOX-B IP55 Indoor Wall Mounting Cabinets are designed for industrial applications. Based on EN60529 provided IP55 protection class against dust and water ingress. The enclosure provides IP55 protection against dust and water, with fan and filter integration performance to IP54. Application areas are semi-open areas like factories, warehouses, lean to roof conditions, where no direct rain and environmental affect the cabinet.

FEATURES

- Monoblock welded construction, with polyester type powder coating which is RAL 7035 Light Grey colour.
- 7U and 9U models contain single point turn locking system and 12U and 16U models contain a double single point turn locking system. The lock systems accommodate a central cylinder lock which unlocks with a cylindrical key.
- Shipping configuration accommodates 2 pieces 1 set 19" equipment mounting rails.
- The base of the cabinet is equipped with a filtered air inlet and 4 x PG21 cable entry compatible blind plugs. Top part is filtered for passive ventilation and hot air exhaust. If required, the filters can be replaced with fan or a thermostat switched single fan can be included to shipment as an accessory.
- Wall mounting brackets are included, as mounting applications vary wall mounting screws are not included with shipment. An Earth cable is included for grounding between main body and front door.
- Metal front door with polyurethane sealing gasket provides EN 60529 IP54/IP55 class protection. IP class can be upgraded to IP66 by replacing fan ventilation slots with cover plates to seal ventilation cut outs.
- Maximum load capacity is 300 kg on the wall and 800 kg on the ground.
- As an option the cabinet can be floor mounted by using a plinth.
- Manufactured in width W:600 mm; depth D:300 mm/450 mm/600 mm; height H:7U-9U-12U-16U.
- An internal rear mounting plate can be purchased as an optional extra for mounting industrial or electrical equipments when 19" mounting is not required.
- Manufactured only with single skin option. Please check other product groups for double skin cabinets.

STANDARDS

ISO 9001:2015

EN 61587-1 Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 series

Climatic and environment: EN 61587-1/4.2,

IEC60068-2-1, IEC60068-2-2 , IEC60068-2-30

Static mechanical load lifting: EN 61587-1/5.2.1

Static mechanical load stiffness: EN 61587-1/5.2.2

Dynamic mechanical load vibration and shock, impact:

EN61587-1/5.3.1, EN61587-1/5.3.3, IEC60068- 2-6, IEC60068-2-27 Earth bond: EN61587-1/6.2

Flammability: EN 61587-1/6.3

IP protection class (IP code): IP55, EN61587-1/6.4 and EN60529

IK protection class (IK code): IK10; EN 62262

Standard Color



RAL 7035 Light Grey



SAFEBOX-B IP55 Indoor Wall Mounting Cabinets

SAFEBOX-B IP55 Indoor Cabinets W:600 mm D:300 mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESI-IP5507U6030-LG	SAFEBOX-B Series	7U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	378	4	1
LN-ESI-IP5509U6030-LG	SAFEBOX-B Series	9U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	467	4	1
LN-ESI-IP5512U6030-LG	SAFEBOX-B Series	12U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	600	4	2
LN-ESI-IP5516U6030-LG	SAFEBOX-B Series	16U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	779	4	2

SAFEBOX-B IP55 Indoor Cabinets W:600 mm D:450 mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESI-IP5507U6045-LG	SAFEBOX-B Series	7U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	378	4	1
LN-ESI-IP5509U6045-LG	SAFEBOX-B Series	9U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	467	4	1
LN-ESI-IP5512U6045-LG	SAFEBOX-B Series	12U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	600	4	2
LN-ESI-IP5516U6045-LG	SAFEBOX-B Series	16U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	779	4	2

SAFEBOX-B IP55 Indoor Cabinets W:600 mm D:600 mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESI-IP5507U6060-LG	SAFEBOX-B Series	7U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	378	4	1
LN-ESI-IP5509U6060-LG	SAFEBOX-B Series	9U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	467	4	1
LN-ESI-IP5512U6060-LG	SAFEBOX-B Series	12U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	600	4	2
LN-ESI-IP5516U6060-LG	SAFEBOX-B Series	16U 19" Indoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	779	4	2

Thermostat Switched Analog Fan Module - 220 V AC

Product Number	Series	Description	Dimensions WxDxH mm
LN-FAN-THM-1FSBE-LG	Accessory	Thermostat switched single fan module for SAFEBOX-B wall mounting cabinets - filtered	495x175x50

Ground Applications - H:100 mm Plinth


Product Number	Series	Description	Dimensions WxDxH mm
LN-PLNTH-D30-LG	Accessory	Plinth H100mm W600xD300mm for SAFEBOX-B Cabinets RAL 7035 Light Gray	600x300x100
LN-PLNTH-D45-LG	Accessory	Plinth H100mm W600xD450mm for SAFEBOX-B Cabinets RAL 7035 Light Gray	600x450x100
LN-PLNTH-D60-LG	Accessory	Plinth H100mm W600xD600mm for SAFEBOX-B Cabinets RAL 7035 Light Gray	600x600x100

Mounting Plates for Safebox E Cabinets


Product Number	Series	Description	Dimensions WxDxH mm
LN-TS-07U-SBE-ZN	Accessory	7U mounting plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H350 W575mm
LN-TS-09U-SBE-ZN	Accessory	9U mounting plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H440 W575mm
LN-TS-12U-SBE-ZN	Accessory	12U mounting plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H570 W575mm
LN-TS-16U-SBE-ZN	Accessory	16U mounting plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H748 W575mm

To be mounted to the back panel of the cabinet - Allows industrial equipment - electrical components - DIN rails mounting.



SAFEBOX-B IP55 Indoor Wall Mounting Cabinets - Technical Drawings




BOTTOM VIEW




Blind plugs compatible with PG21




ISOMETRIC VIEW




FRONT VIEW




SIDE VIEW




REAR VIEW



TOP VIEW





INTERIOR VIEW - FRONT




INTERIOR VIEW - SIDE


SAFEBOX-B IP55 Indoor Wall Mounting Cabinets - Technical Drawings



ISOMETRIC FRONT
DOOR OPENED VIEW




CABINET HEIGHTS



LOCK QUANTITIES

INDOOR CABINETS SHIPMENT CONFIGURATION AND OPTIONAL ACCESSORIES



EXPLODED VIEW

SAFEBOX-B IP55 Outdoor Single and Double Skin Cabinets

The SAFEBOX-B IP55 Indoor Wall Mounting Cabinets are designed for industrial applications. Based on EN60529 provided IP55 protection class against dust and water ingress. With fan and filter integration, enclosure provides IP54 protection against dust and water. Enclosure provides protection against extraneous objects (things that might fall in, dust carried by wind) and water (rain, slush, snow, bluish) which might damage the internal equipment.

FEATURES

- Monoblock welded construction, with polyester type powder coating which is RAL 7035 Light Grey colour.
- 7U and 9U models contain single point turn locking system and 12U and 16U models contain a double single point turn locking system. The lock systems accommodate a central cylinder lock which unlocks with a cylindrical key.
- Shipping configuration accommodates 2 pieces 1 set 19" equipment mounting rails.
- The base of the cabinet is equipped with a filtered air inlet and 4 x PG21 cable entry compatible blind plugs. Top part is filtered for passive ventilation and hot air exhaust. If required, the filters can be replaced with fan or a thermostat switched single fan can be included to shipment as an accessory. Model also contains a roof canopy with gasket for dust and liquid protection.
- Wall mounting brackets are included, as mounting applications vary wall mounting screws are not in the shipping configuration because they can vary depending on the mounting area. Single yellow/green cable for grounding between main body and front door is included.
- Metal front door with polyurethane sealing gasket provides EN 60529 IP54/IP55 class protection. IP class can be upgraded to IP66 by replacing fan ventilation slots with cover plates to seal ventilation cut outs.
- Maximum load capacity is 300 kg on the wall and 800 kg on the ground.
- As an option the cabinet can be floor mounted by using a plinth. If required, pole mounting kit can be ordered for 4-6" diameter poles.
- Manufactured in width W:600 mm; depth D:300 mm/450 mm/600 mm; height H:7U-9U-12U-16U.
- An internal rear mounting plate can be purchased as an optional extra for mounting industrial or electrical equipments when 19" mounting is not required. This accessory is available for standard shipment configuration, not available for double skin cabinets.
- Manufactured with single and double skin options.

STANDARDS

ISO 9001:2015

EN 61587-1 Mechanical structures for electronic equipment - Tests for IEC 60917 and IEC 60297 series

Climatic and environment: EN 61587-1/4.2,

IEC60068-2-1, IEC60068-2-2, IEC60068-2-30

Static mechanical load lifting: EN 61587-1/5.2.1

Static mechanical load stiffness: EN 61587-1/5.2.2

Dynamic mechanical load vibration and shock, impact:

EN61587-1/5.3.1, EN61587-1/5.3.3, IEC60068-2-6, IEC60068-2-27 Earth

bond: EN61587-1/6.2

Flammability: EN 61587-1/6.3

IP protection class (IP code): IP55, EN61587-1/6.4 ve EN60529

IK protection class (IK code): IK10; EN 62262

Standard Color:



RAL 7035 Light Grey



SAFEBOX-B IP55 Outdoor Single and Double Skin Cabinets

SAFEBOX-B IP55 Outdoor Single Skin Cabinets W:600mm D:300mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESO-IP5507U6030-LG	SAFEBOX-B Series	7U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	378	4	1
LN-ESO-IP5509U6030-LG	SAFEBOX-B Series	9U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	467	4	1
LN-ESO-IP5512U6030-LG	SAFEBOX-B Series	12U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	600	4	2
LN-ESO-IP5516U6030-LG	SAFEBOX-B Series	16U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	779	4	2

SAFEBOX-B Outdoor Single Skin Cabinets W:600mm D:450mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESO-IP5507U6045-LG	SAFEBOX-B Series	7U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	378	4	1
LN-ESO-IP5509U6045-LG	SAFEBOX-B Series	9U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	467	4	1
LN-ESO-IP5512U6045-LG	SAFEBOX-B Series	12U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	600	4	2
LN-ESO-IP5516U6045-LG	SAFEBOX-B Series	16U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	779	4	2

SAFEBOX-B IP55 Outdoor Single Skin Cabinets W:600mm D:600mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESO-IP5507U6060-LG	SAFEBOX-B Series	7U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	378	4	1
LN-ESO-IP5509U6060-LG	SAFEBOX-B Series	9U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	467	4	1
LN-ESO-IP5512U6060-LG	SAFEBOX-B Series	12U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	600	4	2
LN-ESO-IP5516U6060-LG	SAFEBOX-B Series	16U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	779	4	2

Thermostat Switched Analog Fan Module - 220 V AC

Product Number	Series	Description	Dimensions WXD XH mm
LN-FAN-THM-1FSBE-LG	Accessory	Thermostat switched single fan module for SAFEBOX-B wall mounting cabinets - filtered	495x175x50

Ground Applications - H:100 mm Plinth

Product Number	Series	Description	Dimensions WXD XH mm
LN-ESO-PL-KIT-ZN	Accessory	Pole Mounting Kit, for 4-6 " diameter poles, galvanized	598x204x80
LN-PLNTH-D30-LG	Accessory	Plinth H100mm W600xD300mm for SAFEBOX-B cabinets RAL 7035 Light Grey	600x300x100
LN-PLNTH-D45-LG	Accessory	Plinth H100mm W600xD450mm for SAFEBOX-B cabinets RAL 7035 Light Grey	600x450x100
LN-PLNTH-D60-LG	Accessory	Plinth H100mm W600xD600mm for SAFEBOX-B cabinets RAL 7035 Light Grey	600x600x100

Mounting Plates for SAFEBOX-B IP55 Outdoor Single Skin Cabinets

Product Number	Series	Description	Dimensions WXD XH mm
LN-TS-07U-SBE-ZN	Accessory	7U mounthing plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H350 W575mm
LN-TS-09U-SBE-ZN	Accessory	9U mounthing plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H440 W575mm
LN-TS-12U-SBE-ZN	Accessory	12U mounthing plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H570 W575mm
LN-TS-16U-SBE-ZN	Accessory	16U mounthing plate, for industrial equipment mounting to the back panel of SAFEBOX-B cabinet - zinc coated	t1,0mm H748 W575mm

To be mounted to tahe back panel of the cabinet - Allows industrial eqiptment - electrical components - DIN rails mounting.

SAFEBOX-B IP55 Outdoor Single and Double Skin Cabinets

SAFEBOX-B IP55 Outdoor Double Skin Cabinets W:600mm D:300mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESD-IP5507U6030-LG	SAFEBOX-B Series	7U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	378	4	1
LN-ESD-IP5509U6030-LG	SAFEBOX-B Series	9U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	467	4	1
LN-ESD-IP5512U6030-LG	SAFEBOX-B Series	12U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	600	4	2
LN-ESD-IP5516U6030-LG	SAFEBOX-B Series	16U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=300mm	600	300	779	4	2

SAFEBOX-B IP55 Outdoor Double Skin Cabinets W:600mm D:450mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESD-IP5507U6045-LG	SAFEBOX-B Series	7U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	378	4	1
LN-ESD-IP5509U6045-LG	SAFEBOX-B Series	9U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	467	4	1
LN-ESD-IP5512U6045-LG	SAFEBOX-B Series	12U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	600	4	2
LN-ESD-IP5516U6045-LG	SAFEBOX-B Series	16U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=450mm	600	450	779	4	2

SAFEBOX-B IP55 Outdoor Double Skin Cabinets W:600mm D:600mm

Product Number	Series	Description	Width (mm)	Depth (mm)	Height (mm)	Cable Entry (QTY)	Lock (QTY)
LN-ESD-IP5507U6060-LG	SAFEBOX-B Series	7U 19" (Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	378	4	1
LN-ESD-IP5509U6060-LG	SAFEBOX-B Series	9U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	467	4	1
LN-ESD-IP5512U6060-LG	SAFEBOX-B Series	12U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	600	4	2
LN-ESD-IP5516U6060-LG	SAFEBOX-B Series	16U 19" Outdoor SAFEBOX-B IP55 Wall Mounting Cabinet W=600mm D=600mm	600	600	779	4	2

Thermostat Switched Analog Fan Module - 220 V AC


Product Number	Series	Description	Dimensions WxDxH mm
LN-FAN-THM-1FSBE-LG	Accessory	Thermostat switched single fan module for SAFEBOX-B wall mounting cabinets - filtered	495x175x50

Ground Applications - H:100 mm Plinth


Product Number	Series	Description	Dimensions WxDxH mm
LN-ESO-PL-KIT-ZN	Accessory	Pole Mounting Kit, for 4-6 " diameter poles, galvanized	598x204x80
LN-PLNTH-D30-LG	Accessory	Plinth H100mm W600xD300mm for SAFEBOX-B cabinets RAL 7035 Light Grey	600x300x100
LN-PLNTH-D45-LG	Accessory	Plinth H100mm W600xD450mm for SAFEBOX-B cabinets RAL 7035 Light Grey	600x450x100
LN-PLNTH-D60-LG	Accessory	Plinth H100mm W600xD600mm for SAFEBOX-B cabinets RAL 7035 Light Grey	600x600x100

SAFEBOX-B IP55 Outdoor Single and Double Skin Cabinets



Technical Drawings




BOTTOM VIEW




Binding plugs compatible with PG21




ISOMETRIC VIEW




FRONT VIEW




SIDE VIEW




REAR VIEW



TOP VIEW





INTERIOR VIEW - FRONT




INTERIOR VIEW - SIDE

SAFEBOX-B IP55 Outdoor Single and Double Skin Cabinets


Technical Drawings



ISOMETRIC FRONT
DOOR OPENED VIEW




CABINET HEIGHTS



LOCK QUANTITIES

OUTDOOR CABINETS

SHIPMENT CONFIGURATION AND OPTIONAL ACCESSORIES




EXPLODED VIEW


SAFEBOX-B IP55 Cabinet Accessories

SAFEBOX-B series cabinet functions can be enhanced with fan module, plinth, pole mounting kit, mounting plate etc. accessories.



●Plinth



G x D x Y mm / 600 x 300 x 100 mm
450
600



●Fan Module




G x D x Y mm / 493 x 174 x 40 mm



SAFEBOX-B IP55 Cabinet Accessories

SAFEBOX-B series cabinet functions can be enhanced with fan module, plinth, pole mounting kit, mounting plate etc. accessories.



● Mounting Plate



278	7U
367	9U
550	12U
678	16U

*** This accessory is available for standard shipment configuration, not available for double skin cabinets.**

● Pole Mounting Kit



SAFEBOX-B IP55 Cabinets Logistic Information

Product Information: SAFEBOX-B IP55 Indoor Cabinets					Logistics Details / Packaging Dimensions			
Type	Product Number	Series	U Height	Depth (D) mm	Packaging Weight KG	Width (W) mm	Depth (D) mm	Height (H) mm
Indoor	LN-ESI-IP5507U6030-LG	SAFEBOX-B Series	7U	300	15,54	650	320	470
Indoor	LN-ESI-IP5509U6030-LG	SAFEBOX-B Series	9U	300	17,86	650	320	500
Indoor	LN-ESI-IP5512U6030-LG	SAFEBOX-B Series	12U	300	21,44	650	320	670
Indoor	LN-ESI-IP5516U6030-LG	SAFEBOX-B Series	16U	300	23,07	650	320	870
Indoor	LN-ESI-IP5507U6045-LG	SAFEBOX-B Series	7U	450	17,40	650	500	470
Indoor	LN-ESI-IP5509U6045-LG	SAFEBOX-B Series	9U	450	20,00	650	500	500
Indoor	LN-ESI-IP5512U6045-LG	SAFEBOX-B Series	12U	450	24,00	650	500	670
Indoor	LN-ESI-IP5516U6045-LG	SAFEBOX-B Series	16U	450	25,83	650	500	870
Indoor	LN-ESI-IP5507U6060-LG	SAFEBOX-B Series	7U	600	19,48	650	670	470
Indoor	LN-ESI-IP5509U6060-LG	SAFEBOX-B Series	9U	600	22,39	650	670	500
Indoor	LN-ESI-IP5512U6060-LG	SAFEBOX-B Series	12U	600	26,87	650	670	670
Indoor	LN-ESI-IP5516U6060-LG	SAFEBOX-B Series	16U	600	28,91	650	670	870

Product Information: SAFEBOX-B IP55 Outdoor Single Skin Cabinets					Logistics Details / Packaging Dimensions			
Type	Product Number	Series	U Height	Depth (D) mm	Packaging Weight KG	Width (W) mm	Depth (D) mm	Height (H) mm
Outdoor	LN-ESO-IP5507U6030-LG	SAFEBOX-B Series	7U	300	18,76	650	320	500
Outdoor	LN-ESO-IP5509U6030-LG	SAFEBOX-B Series	9U	300	21,08	650	320	530
Outdoor	LN-ESO-IP5512U6030-LG	SAFEBOX-B Series	12U	300	24,65	650	320	700
Outdoor	LN-ESO-IP5516U6030-LG	SAFEBOX-B Series	16U	300	26,53	650	320	900
Outdoor	LN-ESO-IP5507U6045-LG	SAFEBOX-B Series	7U	450	21,00	650	500	500
Outdoor	LN-ESO-IP5509U6045-LG	SAFEBOX-B Series	9U	450	23,60	650	500	530
Outdoor	LN-ESO-IP5512U6045-LG	SAFEBOX-B Series	12U	450	27,60	650	500	700
Outdoor	LN-ESO-IP5516U6045-LG	SAFEBOX-B Series	16U	450	29,70	650	500	900
Outdoor	LN-ESO-IP5507U6060-LG	SAFEBOX-B Series	7U	600	23,51	650	670	500
Outdoor	LN-ESO-IP5509U6060-LG	SAFEBOX-B Series	9U	600	26,42	650	670	530
Outdoor	LN-ESO-IP5512U6060-LG	SAFEBOX-B Series	12U	600	30,90	650	670	700
Outdoor	LN-ESO-IP5516U6060-LG	SAFEBOX-B Series	16U	600	33,25	650	670	900

Product Information: SAFEBOX-B IP55 Outdoor Double Skin Cabinets					Logistics Details / Packaging Dimensions			
Type	Product Number	Series	U Height	Depth (D) mm	Packaging Weight KG	Width (W) mm	Depth (D) mm	Height (H) mm
Outdoor	LN-ESD-IP5507U6030-LG	SAFEBOX-B Series	7U	300	24	650	320	500
Outdoor	LN-ESD-IP5509U6030-LG	SAFEBOX-B Series	9U	300	27,65	650	320	530
Outdoor	LN-ESD-IP5512U6030-LG	SAFEBOX-B Series	12U	300	32,63	650	320	700
Outdoor	LN-ESD-IP5516U6030-LG	SAFEBOX-B Series	16U	300	33	650	320	900
Outdoor	LN-ESD-IP5507U6045-LG	SAFEBOX-B Series	7U	450	38,93	650	500	500
Outdoor	LN-ESD-IP5509U6045-LG	SAFEBOX-B Series	9U	450	33,15	650	500	530
Outdoor	LN-ESD-IP5512U6045-LG	SAFEBOX-B Series	12U	450	35,8	650	500	700
Outdoor	LN-ESD-IP5516U6045-LG	SAFEBOX-B Series	16U	450	39,82	650	500	900
Outdoor	LN-ESD-IP5507U6060-LG	SAFEBOX-B Series	7U	600	35,46	650	670	500
Outdoor	LN-ESD-IP5509U6060-LG	SAFEBOX-B Series	9U	600	37,02	650	670	530
Outdoor	LN-ESD-IP5512U6060-LG	SAFEBOX-B Series	12U	600	43,8	650	670	700
Outdoor	LN-ESD-IP5516U6060-LG	SAFEBOX-B Series	16U	600	47,47	650	670	900



LANDE Endüstriyel Metal Ürünler San. Tic. A.Ş.



Head Office

Merve Mah. Gazi Cad.
No:17 Sancaktepe
İstanbul / TURKEY
Tel : +90 216 312 26 53 pbx
Fax: +90 216 312 09 09

Factory

20. Cadde No:14 Eskişehir
Organize Sanayi Bölgesi 26110
Eskişehir / TURKEY
Tel : +90 222 236 24 66 pbx
Fax: +90 222 236 13 53