

# Filament Led REFLECTOR



REFLECTOR 50




## REFLECTOR 63



## REFLECTOR 80

- Innovative Led lamp with linear COB Led chip
- Operation Temperature: -20°C~+50°C
- Wide light output
- Beautiful look, 100% same as traditional incandescent lamp
- Long life
- Low surface temperature
- IC Driver Design a corrente costante
- High Energy Saving
- Vacuum environment
- Sapphire support
- No flickering under camera
- Satin top glass



|                                                                                    | (COD)      | (W) | (E) | (LM) | (V)     | (K)  | (D) | (L) | CRI | Beam Angle (°) | LEDs   | Finishing | (h) | (h)    | start time | warm up |
|------------------------------------------------------------------------------------|------------|-----|-----|------|---------|------|-----|-----|-----|----------------|--------|-----------|-----|--------|------------|---------|
|  | 700205.00A | 4   | E14 | 330  | 220-240 | 2700 | 50  | 86  | 80  | 80°            | 4xCOBL | Satin     | 10  | 15.000 | < 0,6      | 0       |
|  | 700131.00A | 5   | E27 | 400  | 220-240 | 2700 | 63  | 100 | 80  | 80°            | 4xCOBL | Satin     | 10  | 15.000 | < 0,6      | 0       |
|  | 700132.00A | 7   | E27 | 600  | 220-240 | 2700 | 80  | 110 | 80  | 80°            | 5xCOBL | Satin     | 10  | 15.000 | < 0,6      | 0       |

Reflector Led cod. 700205.00A – 700131.00A – 700132.00A

[Dati societari](#)
[Credits](#)
[Privacy policy](#)

© 2022 Daylight Italia. | PIVA: 07893910963 | Daylight Italia Srl Via Newton, 12 20016 Pero (MI) - Tel. +390231055625 - [info@daylightitalia.com](mailto:info@daylightitalia.com)

[Privacy & Cookies Policy](#)