

Filament Led REFLECTOR



REFLECTOR 50



REFLECTOR 63



REFLECTOR 80

- Innovative Led lamp with linear COB Led chip
- Operation Temperature: -20°C~+50°C
- Wide light output
- Beautiful look, 100% same as traditional incandescent lamp
- Long life
- Low surface temperature
- IC Driver Design a corrente costante
- High Energy Saving
- Vacuum environment
- Sapphire support
- No flickering under camera
- Satin top glass

DL DAYLIGHTITALIA

Home DLCompanyFashion bulbsLampsEquipmentAccessoriesContacts

f

▶

📷

Q


35W
40W
60W

INCAND.

←

4W
5W
7W

LED



CE

UVSTOP

⚡

DIMMABLE

3

ANSI

90%

ENERGY

15.000H

	COD	W		LM	V	K	D	L	CRI	Beam Angle (°)	LEDS	Finishing		ON OFF	start time	warm up
new	700205.00A	4	E14	330	220-240	2700	50	86	80	80°	4xCOBL	Satin	10	15.000	< 0,6	0
new	700131.00A	5	E27	400	220-240	2700	63	100	80	80°	4xCOBL	Satin	10	15.000	< 0,6	0
new	700132.00A	7	E27	600	220-240	2700	80	110	80	80°	5xCOBL	Satin	10	15.000	< 0,6	0

Reflector Led cod. 700205.00A – 700131.00A – 700132.00A

[Dati societari](#) [Credits](#) [Privacy policy](#)